



## Statement of Residential Energy Code Compliance

Building Plan Review and Permits: 757-728-2444 Fax: 728-2445

Permit No.: \_\_\_\_\_ Address: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Contractor/Owner Name: \_\_\_\_\_

I hereby attest that I will be using the following method of compliance for my HVAC duct sealing inspection as required by section 403.2.2 of the 2012 Virginia Energy Conservation Code (VECC):

- I will perform a Post Construction or Rough-in duct tightness test (duct blaster) and supply the prescribed test results for verification with section 403.2.2.1 of the 2012 VECC (VRC N1103.2.2.1) prior to my final Mechanical inspection.
- I will call for a Mechanical rough-in inspection on my ductwork at which time a visual inspection will be done for the sealing method on the ductwork prior to wrapping with insulation (2012 VRC N1103.2.2.2).
  - Duct insulation will be inspected at the time of building insulation inspection.

I hereby attest that I will be using the following method of compliance for my Building Envelope air tightness inspection as required by section 402.4.1.2 of the 2012 VECC:

- I will perform a Blower Door Test per section R402.4.1.2.1 (2012 VRC N1102.4.1.2.1)
  - To comply with this section, it shall be the written policy of Hampton City Building Safety and Permits that a blower door test must be submitted on a testing company supplied form with evidence provided that the company is using raters certified by HERS (Home Energy Rating or RESNET) or BPI (Building Performance Institute). Compliance with this section of the VECC shall be certified.
- I will schedule a visual inspection of the air barrier and penetrations prior to installing siding per section 402.4.1.2.2 of the 2012 VECC. (2012 VRC N1102.4.1.2.2)
  - An insulation inspection must also be scheduled either at the same time or at a later date. All trade rough-in inspections must be completed prior to scheduling the insulation inspection.
  - Also, when this option is chosen, whole-house mechanical ventilation shall be provided in accordance with M1507.3.

Signature of Applicant: \_\_\_\_\_ Date: \_\_\_\_\_

Community Development Department, Development Services Division

22 Lincoln Street, 3<sup>rd</sup> floor | Hampton, Virginia 23669

[www.hampton.gov](http://www.hampton.gov) | Hampton's 311: 757.727.8311 | O.757.728.2444